BBA

Protein Structure &
Molecular Enzymology

Vol. 1120, 1992

Cumulative Contents

Regular Papers

Vitronectin diversity in evolution but uniformity in ligand binding and size of the core polypeptide
N. Nakashima, K. Miyazaki, M. Ishikawa, T. Yatohgo, H. Ogawa, H. Uchibori, I. Matsumoto, N. Seno and M. Hayashi (Japan) 1

Specificity and kinetics of *Rhodotorula gracilis* D-amino acid oxidase
L. Pollegioni, A. Falbo and M.S. Pilone (Italy) 11

Generation of polyclonal antibodies against the mineralocorticoid receptor and analysis of mineralocortin in rat myocardium by immunophotochemistry
M. Mirshahi, M. Pagano, A. Mirshahi and M.K. Agarwal (France) 17

The aromatic circular dichroism spectrum as a probe for conformational changes in the active site environment of hemocyanins
M. Beltramini, L. Bubacco, B. Salvato, L. Casella, M. Gullotti and S. Garofani (Italy) 24

Separation and characterization of isoforms of DT-diaphorase from rat liver cytosol
J. Segura-Aguilar, R. Kaiser and C. Lind (Sweden) 33

Thymosin α_1 is a native peptide in several tissues
F.J. Franco, C. Diaz, M. Barcia and M. Freire (Spain) 43

Association of α-phosphatidylinositol-specific phospholipase C with phospholipid vesicles
C. Xu and G.L. Nelsestuen (USA) 49

Structural analysis of an outer surface protein from the Lyme disease spirochete, *Borrelia burgdorferi*, using circular dichroism and fluorescence spectroscopy
L.L. France, J. Kieleczawa, J.J. Dunn, G. Hind and J.C. Sutherland (USA) 59

The pairing of the separated A and B chains of insulin and its derivatives, FTIR studies
J. Wei, L. Xie, Y.-Z. Lin and C.-L. Tsou (China) 69

Saposin-C from bovine spleen; complete amino acid sequence and relation between the structure and its biological activity
A. Sano, T. Mizuno, K. Kondoh, T. Hineno, S.-i. Ueno, Y. Kakimoto and N. Morita (Japan) 75

Buffer dependence of CO_2 hydration catalyzed by human carbonic anhydrase I
X. Ren and S. Lindskog (Sweden) 81

Purification and cellular localization of wild type and mutated dihydrolipoyltransacetylases from *Azotobacter vinelandii* and *Escherichia coli* expressed in *E. coli*
E. Schulze, A.H. Westphal, M. Veenhuis and A. De Kok (Netherlands) 87

Purification and characterization of two lipoxygenase isoenzymes from germinating barley
A. Doderer, I. Kokkelink, S. Van der Veen, B.E. Valk, A.W. Schram and A.C. Douma (Netherlands) 97

Mass spectrometric characterization of bovine chromaffin granule peptides related to chromogranin B.
L. Dillen, S. Boel, W.P. De Potter and M. Claeys (Belgium) 105

Koningic acid (heptelidic acid)inhibition of glyceraldehyde-3-phosphate dehydrogenases from various sources
M. Kato, K. Sakai and A. Endo (Japan) 113

Amino acid sequence of the β-subunit of phycoerythrin from the cryptophyte algae Chroomonas CS 24
J. Godovac-Zimmermann, M. Sheil, P.M. Wrench and R.G. Hiller (Australia) 117

Review

Amide modes and protein conformation
J. Bandekar (USA) 123

Regular Papers

Chemical modification of cysteinyl, lysyl and histidyl residues of mouse liver 17β-hydroxysteroid dehydrogenase
T. Nakayama, H. Tanabe, Y. Deyashiki, M. Shinoda, A. Hara and H. Sawada (Japan) 144

3-Oxoacyl-[ACP] reductase from oilseed rape (*Brassica napus*)

P.S. Sheldon, R.G.O. Kekwick, C.G. Smith, C. Sidebottom and A.R. Slabas (UK) 151

Spectroscopic characterization of the alternate form of *S*-methylcoenzyme M reductase from *Methanobacterium thermoautotrophicum* (strain ΔH)
M.C. Brenner, L. Ma, M.K. Johnson and R.A. Scott (USA) 160

Purification and characterization of a soluble peroxidase of rat preputial gland: comparison with lactoperoxidase
P.K. De and R.K. Banerjee (India) 167

Orientation and mobility of the heme vinyl groups in myoglobins with the aid of NOE and MATDUHM NMR
Y. Yamamoto, K. Iwafune, N. Nanai, R. Chûjô, Y. Inoue and T. Suzuki (Japan) 173

Microsomal retinal synthesis: retinol vs. holo-CRBP as substrate and evaluation of NADP, NAD and NADPH as cofactors
J.L. Napoli, K.C. Posch and R.D. Burns (USA) 183

Trypsin inhibitors from bottle gourd (*Lagenaria leucantha* Rusby *var. Depressa* Makino) seeds. Purification and amino acid sequences
M. Matsuo, N. Hamato, R. Takano, K. Kamei-Hayashi, Y. Yasuda-Kamatani, K. Nomoto and S. Hara (Japan) 187

Biophysical characterization of α-crystallin aggregates: validation of the micelle hypothesis
L.W. Radlick and J.F. Koretz (USA) 193

Glycation of human serum albumin: inhibition by Diclofenac
M.A.M. Van Boekel, P.J.P.C. Van den Bergh and H.J. Hoenders (Netherlands) 201

Heat-treated smooth muscle tropomyosin
P. Graceffa (USA) 205

Substrate specificity and kinetic properties of pepstatin-insensitive carboxyl proteinase from *Pseudomonas* sp. No. 101
K. Oda, H. Nakatani and B.M. Dunn (Japan, USA) 208

Subunit structure of calgranulins A and B obtained from sputum, plasma, granulocytes and cultured epithelial cells
D. Longbottom, J.-M. Sallenave and V. Van Heyningen (UK) 215

Near ultraviolet circular dichroism study of the cyclic AMP receptor protein, its NH_2-terminal domain and their interaction with cyclic AMP
B. Blazy, A. Baudras and J.C. Maurizot (France) 223

Purification and characterization of luciferases from fireflies, *Luciola cruciata* and *Luciola lateralis*
N. Kajiyama, T. Masuda, H. Tatsumi and E. Nakano (Japan) 228

Changes at the N-terminus of human brain creatine kinase during a transition beween inactive folding intermediate and active enzyme
G.E. Morris and Nguyen thi Man (UK) 233

Regular Papers

Formycins A and B and some analogues: selective inhibitors of bacterial (*Escherichia coli*) purine nucleoside phosphorylase
A. Bzowska, E. Kulikowska and D. Shugar (Poland) 239

Comparison of structure and activities of peroxidases from *Coprinus cinereus*, *Coprinus macrorhizus* and *Arthromyces ramosus*
M. Kjalke, M.B. Andersen, P. Schneider, B. Christensen, M. Schülein and K.G. Welinder (Denmark) 248

A site-directed mutagenesis study on the role of isoleucine-23 of human epidermal growth factor in the receptor binding
H. Koide, Y. Muto, H. Kasai, K. Kohri, K. Hoshi, S. Takahashi, K.-i. Tsukumo, T. Sasaki, T. Oka, T. Miyake, T. Fuwa, D. Kohda, F. Inagaki, T. Miyazawa and S. Yokoyama (Japan) 257

Physostigmine analogs anticholinesterases: effects of the lengthening of the *N*-carbamic chain on the inhibition kinetics
M. Marta, F. Gatta and M. Pomponi (Italy) 262

Characterization of an extremely thermostable glutamate dehydrogenase: a key enzyme in the primary metabolism of the hyperthermophilic archaebacterium, *Pyrococcus furiosus*
F.T. Robb, J.-B. Park and M.W.W. Adams (USA) 267

Purification and characterization of wheat and pine small basic protein substrates for plant calcium-dependent protein kinase
G.M. Polya, S. Chandra, R. Chung, G.M. Neumann and P.B. Höj (Australia) 273

Site-directed mutagenesis of active site residues in *Bacillus subtilis* α-amylase
K. Takase, T. Matsumoto, H. Mizuno and K. Yamane (Japan) 281

An extremely stable inorganic pyrophosphatase purified from the cytosol of a thermoacidophilic archaebacterium, *Sulfolobus acidocaldarius* strain 7
T. Wakagi, C.-H. Lee and T. Oshima (Japan) 289

The complete amino acid sequence of growth hormone from sturgeon (*Acipencer guldenstadti*)
A. Yasuda, K. Yamaguchi, T. Noso, H. Papkoff, A.L. Polenov, C.S. Nicoll and H. Kawauchi (Japan, USA, USSR) 297

Effect of dimethyl sulfoxide on phosphoryl transfer catalyzed by yeast hexokinase
M. Montero-Lomelí (Brazil) 305

A high-molecular-weight ($> 8 \cdot 10^5$) non-collagenous glycoprotein is synthesized by bovine cartilage in vitro
N.A. Visser, H.S. Brand, G.P.J. Vankampen, R.J. Vandestadt and J.K. Vanderkorst (Netherlands) 308

Extracellular lipase from *Pseudomonas aeruginosa* is an amphiphilic protein
K.-E. Jaeger, F.-J. Adrian, H.E. Meyer, R.E.W. Hancock and U.K. Winkler (Germany, Canada) 315

Isolation and partial characterization of a high-molecular-weight DNA polymerase from *Leishmania mexicana*
L.L. Nolan, J.H. Rivera and N.N. Khan (USA) 322

Carboxymethylation-induced activation of bovine lens aldose reductase
S.-Q. Liu, A. Bhatnagar and S.K. Srivastava (USA) 329

Interaction of polycations with cell-surface negative charges of epithelial cells
A.K. Singh, B.S. Kasinath and E.J. Lewis (USA) 337

Scatter factor is a glycoprotein but glycosylation is not required for its activity
R. Hofmann, A. Joseph, M.M. Bhargava, E.M. Rosen and I. Goldberg (USA) 343

Cumulative Contents, Vol. 1120 351

Author Index 354